

New York State HIV/AIDS Surveillance Semiannual Report

**For Cases Diagnosed
through December 2002**

**Bureau of HIV/AIDS Epidemiology
New York State Department of Health**

Revised March 2005

Notice to Readers: Updated March 2005

In 2004 the Centers for Disease Control and Prevention (CDC) completed the Interstate Duplication Evaluation Project (IDEP) in which all states were required to participate. The purpose of the project was to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases are only counted once. If a case was reported by two or more states, the earliest date of diagnosis was used to determine which state the case was assigned to. CDC estimates that 30,000 of the AIDS cases in the national surveillance system were duplicates, representing less than 5% of the almost 1 million cases that have been reported to CDC over the history of the epidemic through 2002. It is anticipated that this process will be conducted on an ongoing basis.

The percent of AIDS cases that were lost in NYS due to this process was approximately 3%. Please note that this loss of AIDS cases will most likely not effect New York's Ryan White funding or other funding based on the AIDS case count because New York's estimated 3% loss in AIDS cases compares favorably with the average loss of cases for the nation which was a little less than 5%. The data presented in the December 2002 and 2003 Semiannual Reports reflects this change in the AIDS case count for NYS. The December 2001 Semiannual Report is being updated as well to reflect this change and will posted to the web soon.

Attention Readers

On June 1, 2000, the New York State Department of Health (NYSDOH) implemented the HIV Reporting and Partner Notification Law. This law enhanced the existing AIDS case reporting by including reporting of HIV and HIV-related illness by health care providers and laboratories to the New York State Commissioner of Health.

The New York State AIDS Surveillance Quarterly Update has been extensively revised to include the HIV infection data in addition to AIDS data. This revised report will be referred to as the New York State HIV/AIDS Surveillance Semiannual Report and will be updated through June and December of each year. The format has been substantially redesigned based on comments from our readers. The data are presented in a more aggregated format to avoid censoring due to small cell sizes, and cases are reported by date of diagnosis rather than date of report. More finely delineated data may still be obtained through our data request unit by calling 518-474-4284. The regional grouping has remained the same: New York City (NYC), New York State (NYS) excluding NYC, Ryan White regions, counties and NYC boroughs. Since a large proportion of cases in NYS excluding NYC areas are prisoners, data on prisoners and the general population continue to be reported separately.

Another major change to the report format is that it only includes cases that have been unduplicated between NYC and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's Bureau of HIV/AIDS Epidemiology (BHAE). In NYC, HIV/AIDS surveillance is conducted by the NYC Department of Health's HIV Surveillance and Epidemiology Unit. Often, a case will be reported to both jurisdictions. Since NYC and NYS departments of health report HIV/AIDS data separately to the national Centers for Disease Control and Prevention (CDC) there is often an overlap of cases between the two jurisdictions. CDC unduplicates the data between the two jurisdictions. A case is only counted once and it is assigned to the county of residence at the time of the earliest report. This unduplicated count provides the basis for Ryan White and other federal funding to NYS. The numbers in this report reflect the algorithm used by CDC to unduplicate cases and, therefore, cannot be directly compared to data reported in past issues of the AIDS Surveillance Quarterly Update. Data that has not been unduplicated may also be obtained through our data request unit.

Data presented in this report on risk should be interpreted with caution. Due to the large increase in reported cases, backlogs have developed in case investigations which involve medical chart reviews. Since a medical chart review is usually required to obtain information on the mode of transmission (risk), this backlog has resulted in a large proportion of cases being presented with an unknown risk. The BHAE, will be investigating all cases reported without risk over the next two years, with priority being given to all newly diagnosed HIV and AIDS cases. Due to the large volume of cases in NYC, the HIV Surveillance and Epidemiology Unit will be investigating all AIDS cases reported without risk and a sample of the prevalent HIV cases.

To familiarize yourself with this revised reporting format and definitions contained in this report please read the following section on technical notes.

TECHNICAL NOTES ON HIV/AIDS SURVEILLANCE DATA

Introduction

This is the [HIV/AIDS Surveillance Semiannual Update](#), which is produced by the BHAE at the NYS Department of Health. Access to this publication is available through the internet at the following address: www.health.state.ny.us. When you get to the website, select *Information for Researchers* to access this report. Printed copies can be obtained by those without internet access by writing to:

Bureau of HIV/AIDS Epidemiology
P.O. Box 2073
ESP Station
Albany, New York 12220-0073

Data presented in this report is generated from information collected and maintained by BHAE and the NYC Department of Health's HIV Surveillance and Epidemiology Unit.

Reporting Procedures:

As of June 1, 2000, the NYS HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III) requires health care providers to report all initial determinations of HIV infection, diagnosis of HIV-related illness and diagnosis of AIDS to the NYS Commissioner of Health.* Laboratories are required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 or 29% of total lymphocytes.

Laboratories conducting HIV-related testing must report directly to the NYS Department of Health either electronically or on paper. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF). Copies can be obtained by calling 518-474-4284.

NYS providers outside of NYC should mail the completed PRF to:

Division of Epidemiology
P.O. Box 2073
ESP Station
Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

*Please note that HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local or the NYS TB Control Program at (518) 474-4845.

Definition of Terms Used in this Report

Confirmed Case: Reports for which the clinical and demographic data required by the national Centers for Disease Control and Prevention (CDC) to confirm a case have been obtained.

Case Investigation: Reports received without sufficient information to confirm the case or a confirmed case reported without risk are investigated by NYS or NYC public health representatives who examine medical records to obtain demographic information, clinical status and reported HIV exposure (risk).

HIV/AIDS Case Categories: This report classifies cases into the four categories listed below. HIV and AIDS cases are mutually exclusive. The newly diagnosed HIV and AIDS cases are subsets of the living HIV and AIDS categories.

- ***Living HIV Cases*** - This category includes all reported individuals living with HIV infection who have not developed AIDS. These are considered prevalent HIV cases. This category includes HIV cases reported by a provider indicating an initial HIV diagnosis or an HIV illness and/or by a laboratory reporting a positive western blot or a detectable viral load.
- ***Newly Diagnosed HIV Cases*** - This is a subset of all living HIV cases that are being reported for the first time by a laboratory reporting a positive western blot or by a physician reporting an initial HIV diagnosis, and has not been reported with AIDS through the end of the reported time period. Please note that HIV reporting just began in June of 2000 and that cases diagnosed prior to this time by a provider other than the current provider reporting the case may be misclassified as a newly diagnosed case. Once the majority of HIV cases in care have been reported, the level of misclassification will decrease.
- ***Living AIDS Cases*** - This category include all reported individuals living with AIDS. These are considered prevalent AIDS cases.
- ***Newly Diagnosed AIDS Cases*** - This is a subset of all living AIDS cases that are being diagnosed and reported with AIDS for the first time. This includes cases that have never been reported before and cases initially reported with HIV infection that have since developed AIDS.
- ***Cumulative AIDS Cases*** - This category includes all AIDS cases reported since 1983, both living and deceased.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on the provider form, laboratory report or in the patient's medical chart. This date may be months, or even years, prior to the date that the case was reported to the health department. In cases of HIV infection

diagnosed prior to June 1, 2000 that have not been investigated, the diagnosis date is the test date of the first laboratory report received.

Report date: The date that the case was confirmed.

Prisoner: Individuals diagnosed and reported while incarcerated in city or county jails or state prisons. Most prisoners are reported from state prisons and are assigned the county of residence of the prison in which they were diagnosed.

Assignment of HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically provided to health care providers during routine medical history taking, and obtained from review of the patient's medical records. An individual may have been potentially exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

Men who have sex with men (includes bisexual men)

Injection drug users

Men who have sex with men and inject drugs

Hemophiliacs or persons with other clotting disorders

Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS Transfusion and/or transplant recipients

Adult with undetermined mode of exposure

Confirmed other risk

Children:

Hemophiliacs or children with other clotting disorders

Mother is an injection drug user

Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood Transfusion recipient, an individual with documented HIV or AIDS

Mother received a transfusion or blood products

Mother had AIDS or is HIV-positive

Transfusion or transplant recipient

Child with undetermined mode of exposure

Pediatric other risk

Based on this hierarchy, for example, a women who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure precedes heterosexual contact on the hierarchy.

An individual with HIV/AIDS for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if s/he knows the partner's risk and/or

HIV status. In the absence of such information, the case is classified as having an undetermined exposure category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. Thus, a proportion of cases with an undetermined exposure category may be heterosexually exposed individuals. Both NYC and NYS surveillance units have been collecting information on "probable heterosexual exposure" which include persons with a history of heterosexual prostitution (sex work or exchange of sex for money or drugs), sexual contact with a prostitute of the opposite sex, multiple sex partners of the opposite sex, sexually transmitted disease, crack/cocaine use or immigration from a country where heterosexual transmission of HIV predominates. This information will be reported in future issues of this report.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Changes in the AIDS Surveillance Case Definition: A uniform surveillance case definition for AIDS was established by CDC in the early 1980s, and has since been modified three times, each time expanding the range of AIDS-indicator diseases and conditions and incorporating HIV diagnostic tests to improve the sensitivity and specificity of the definition. The first modification occurred in 1985, the second in 1987 and the most recent in 1993. The 1993 expansion of the AIDS case definition for adults and adolescent includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

Record Updates: When additional surveillance information is received on a confirmed case subsequent to the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. Therefore, month to month totals in some data elements (such as mode of exposure and diagnosis date) may change over time. With the implementation of HIV reporting, the number of prevalent HIV and AIDS cases for a

specified period of time may change, as individuals initially reported with HIV develop AIDS and are moved from the "HIV" to the "AIDS" category.

Age at diagnosis: The age at diagnosis of HIV and AIDS refers to the individual's age at the earliest, documented diagnosis. The CDC categorizes a case as **Pediatric** if an AIDS diagnosis was made prior to age 13. **Adult and Adolescent** cases refer to those cases diagnosed at age 13 or older.

Mortality Information: Vital status of cases is determined from updated case reports, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and the National Death Index. Unless a case is known to be deceased from these sources, they are **presumed to be alive**.

Prisoners: Cases categorized as "Prisoners" have been diagnosed while incarcerated in city or county jails or one of the NYS Department of Corrections (DOCS) facilities throughout NYS. Most prisoners are reported from a NYSDOCS facility. Prison cases are often presented separately from general population data because, if diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than their home address.

Regional Groupings: For this report, cases are assigned to the county of residence at time of earliest diagnosis. In NYC, data include all individuals who were residents of one of the five New York City boroughs at the time of initial diagnosis. NYS excluding NYC include all individuals whose residence was anywhere in NYS outside of NYC at the time of initial diagnosis.

TABLE OF CONTENTS:**STATEWIDE**

Table 1	AIDS cases by Region and Year of Diagnosis.....	Page 10
Table 2A	Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 11
Table 2B	Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 12

REGIONAL

Table 3A	NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 13
Table 3B	NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 14
Table 4A	NYS excluding NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 15
Table 4B	NYS excluding NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 16

NYS Excluding NYC - COUNTY

Table 5A	Living and Cumulative HIV/AIDS by County.....	Pages 17-18
Table 5B	Newly Diagnosed HIV/AIDS cases by County.....	Pages 19-20

NYC BY GENDER

Table 6A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 21
Table 6B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 22
Table 6C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 23
Table 6D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 24

NYS Excluding NYC by GENDER (excludes Prisoners)

Table 7A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 25
Table 7B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 26
Table 7C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 27
Table 7D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 28

PRISONERS - (NYS Excluding NYC)

Table 8A	Living HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 29
Table 8B	Newly Diagnosed HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 30

NYS Excluding NYC

Table 9A	Living and Cumulative HIV/AIDS cases by Ryan White Region.....	Page 31
Table 9B	Newly Diagnosed HIV/AIDS cases by Ryan White Region.....	Page 32

NYS Excluding NYC - Ryan White Regions

The following two tables have been generated for each of the Ryan White Regions:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
B - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 10 - A,B	Albany Ryan White Region.....	Pages 33-34
Table 11 - A,B	Binghamton Ryan White Region.....	Pages 35-36
Table 12 - A,B	Buffalo Ryan White Region.....	Pages 37-38
Table 13 - A,B	Lower Hudson Ryan White Region.....	Pages 39-40
Table 14 - A,B	Mid Hudson Ryan White Region.....	Pages 41-42
Table 15 - A,B	Nassau/Suffolk Ryan White Region.....	Pages 43-44
Table 16 - A,B	Rochester Ryan White Region.....	Pages 45-46
Table 17 - A,B	Syracuse Ryan White Region.....	Pages 47-48

NYC - Boroughs

Table 18	Living HIV/AIDS, Cumulative AIDS and Newly Diagnosed HIV/AIDS by Borough.....	Page 49
----------	---	---------

The following two tables have been generated for each of the Boroughs:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
B - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 19 - A,B	Bronx	Pages 50-51
Table 20 - A,B	Brooklyn	Pages 52-53
Table 21 - A,B	Manhattan	Pages 54-55
Table 22 - A,B	Queens	Pages 56-57
Table 23 - A,B	Staten Island	Pages 58-59

STATEWIDE: Includes all 62 Counties			
Year	Number of Cases Diagnosed		
	NYC	Upstate	Total
Prior to 1981	49	0	49
1981	149	7	156
1982	491	33	524
1983	1,045	125	1,170
1984	1,763	249	2,012
1985	2,716	450	3,166
1986	3,895	706	4,601
1987	4,874	1,022	5,896
1988	6,030	1,283	7,313
1989	6,340	1,554	7,894
1990	7,200	1,706	8,906
1991	8,319	2,114	10,433
1992	9,997	2,596	12,593
1993	11,498	2,824	14,322
1994	11,360	2,605	13,965
1995	10,129	2,655	12,784
1996	8,357	2,181	10,538
1997	6,717	1,551	8,268
1998	5,101	1,237	6,338
1999	4,777	1,193	5,970
2000	5,710	1,358	7,068
2001	4,804	1,262	6,066
2002	3,983	1,162	5,145
TOTAL	125,304	29,873	155,177

* Cases reported and confirmed through December 2004

STATEWIDE: Includes all 62 Counties

2A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	19,546	0.63	41,962	0.71	116,507	0.75
Female	11,029	0.36	17,031	0.29	38,670	0.25
Unk	222	0.01	0	0.00	0	0.00
TOTAL	30,797	1.00	58,993	1.00	155,177	1.00
Age Group						
<13	1,740	0.06	833	0.01	2,314	0.01
13-19	657	0.02	511	0.01	754	0.00
20-24	2,064	0.07	1,713	0.03	3,733	0.02
25-29	3,655	0.12	5,853	0.10	15,214	0.10
30-49	19,318	0.63	43,031	0.73	112,510	0.73
50+	3,238	0.11	7,052	0.12	20,652	0.13
Unk	125	0.00	0	0.00	0	0.00
TOTAL	30,797	1.00	58,993	1.00	155,177	1.00
Race/Ethnicity						
White	7,364	0.24	13,324	0.23	40,790	0.26
Black	13,526	0.44	26,558	0.45	67,527	0.44
Hispanic	8,634	0.28	18,236	0.31	45,362	0.29
Asian/PI	287	0.01	507	0.01	1,026	0.01
Native Am	42	0.00	54	0.00	94	0.00
Multi Race	28	0.00	72	0.00	75	0.00
Other/Unk	916	0.03	242	0.00	303	0.00
TOTAL	30,797	1.00	58,993	1.00	155,177	1.00
Risk						
MSM	7,586	0.25	14,631	0.25	44,105	0.28
IDU	4,387	0.14	18,064	0.31	61,973	0.40
MSM/IDU	389	0.01	1,306	0.02	4,633	0.03
Heterosexual	4,992	0.16	8,666	0.15	16,492	0.11
Blood Prod.	122	0.00	381	0.01	1,309	0.01
Pediatric Risk	1,426	0.05	910	0.02	2,386	0.02
Other/Unk	11,895	0.39	15,035	0.25	24,279	0.16
TOTAL	30,797	1.00	58,993	1.00	155,177	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

STATEWIDE: Includes all 62 Counties				
Table 2B Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk Diagnosed January 2002 - December 2002				
	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	2,530	0.63	3,413	0.66
Female	1,463	0.37	1,732	0.34
TOTAL	3,993	1.00	5,145	1.00
Age Group				
<13	28	0.01	6	0.00
13-19	111	0.03	74	0.01
20-24	323	0.08	146	0.03
25-29	469	0.12	348	0.07
30-49	2,525	0.63	3,515	0.68
50+	536	0.13	1,056	0.21
unk	1	0.00	0	0.00
TOTAL	3,993	1.00	5,145	1.00
Race/Ethnicity				
White	736	0.18	932	0.18
Black	2,105	0.53	2,718	0.53
Hispanic	1,066	0.27	1,387	0.27
Asian/PI	54	0.01	57	0.01
Native Am	11	0.00	8	0.00
Multi Race	5	0.00	18	0.00
Other/Unk	16	0.00	25	0.00
TOTAL	3,993	1.00	5,145	1.00
Risk				
MSM	1,049	0.26	1,054	0.20
IDU	457	0.11	812	0.16
MSM/IDU	42	0.01	84	0.02
Heterosexual	701	0.18	964	0.19
Blood Prod.	10	0.00	27	0.01
Pediatric Risk	18	0.00	26	0.01
Other/Unk	1,716	0.43	2,178	0.42
TOTAL	3,993	1.00	5,145	1.00

*Cases reported and confirmed through December 2004

NEW YORK CITY - TOTAL

Table 3A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	14,955	0.63	32,589	0.70	93,130	0.74
Female	8,520	0.36	13,687	0.30	32,174	0.26
Unk	221	0.01	0	0.00	0	0.00
TOTAL	23,696	1.00	46,276	1.00	125,304	1.00
Age Group						
<13	1,496	0.06	725	0.02	2,005	0.02
13-19	473	0.02	396	0.01	570	0.00
20-24	1,570	0.07	1,345	0.03	2,941	0.02
25-29	2,769	0.12	4,522	0.10	11,905	0.10
30-49	14,723	0.62	33,423	0.72	90,411	0.72
50+	2,646	0.11	5,865	0.13	17,472	0.14
Unk	19	0.00	0	0.00	0	0.00
TOTAL	23,696	1.00	46,276	1.00	125,304	1.00
Race/Ethnicity						
White	5,083	0.21	9,203	0.20	29,081	0.23
Black	10,409	0.44	20,973	0.45	55,439	0.44
Hispanic	7,038	0.30	15,377	0.33	39,524	0.32
Asian/PI	260	0.01	470	0.01	954	0.01
Native Am	20	0.00	25	0.00	48	0.00
Multi Race	7	0.00	9	0.00	9	0.00
Other/Unk	879	0.04	219	0.00	249	0.00
TOTAL	23,696	1.00	46,276	1.00	125,304	1.00
Risk						
MSM	6,174	0.26	11,880	0.26	36,431	0.29
IDU	2,676	0.11	13,880	0.30	49,699	0.40
MSM/IDU	255	0.01	888	0.02	3,404	0.03
Heterosexual	3,538	0.15	6,653	0.14	13,074	0.10
Blood Prod.	89	0.00	266	0.01	843	0.01
Pediatric Risk	1,254	0.05	790	0.02	2,053	0.02
Other/Unk	9,710	0.41	11,919	0.26	19,800	0.16
TOTAL	23,696	1.00	46,276	1.00	125,304	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

NEW YORK CITY - TOTAL

Table 3B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	2,160	0.64	2,610	0.66
Female	1,227	0.36	1,373	0.34
TOTAL	3,387	1.00	3,983	1.00
Age Group				
<13	22	0.01	6	0.00
13-19	95	0.03	58	0.01
20-24	287	0.08	118	0.03
25-29	400	0.12	270	0.07
30-49	2,127	0.63	2,677	0.67
50+	456	0.13	854	0.21
TOTAL	3,387	1.00	3,983	1.00
Race/Ethnicity				
White	558	0.16	593	0.15
Black	1,809	0.53	2,142	0.54
Hispanic	948	0.28	1,164	0.29
Asian/PI	50	0.01	55	0.01
Native Am	5	0.00	4	0.00
Multi Race	2	0.00	1	0.00
Other/Unk	15	0.00	24	0.01
TOTAL	3,387	1.00	3,983	1.00
Risk				
MSM	902	0.27	810	0.20
IDU	333	0.10	565	0.14
MSM/IDU	33	0.01	55	0.01
Heterosexual	549	0.16	700	0.18
Blood Prod.	8	0.00	19	0.00
Pediatric Risk	15	0.00	24	0.01
Other/Unk	1,547	0.46	1,810	0.45
TOTAL	3,387	1.00	3,983	1.00

*Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - Includes Prisoners						
Table 4A						
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk						
Diagnosed Through December 2002						
	Living HIV*		AIDS**			
	Number	Percent	Living	Percent	Cumulative	
Gender						
Male	4,591	0.65	9,373	0.74	23,377	0.78
Female	2,509	0.35	3,344	0.26	6,496	0.22
Unk	1	0.00	0	0.00	0	0.00
TOTAL	7,101	1.00	12,717	1.00	29,873	1.00
Age Group						
<13	244	0.03	108	0.01	309	0.01
13-19	184	0.03	115	0.01	184	0.01
20-24	494	0.07	368	0.03	792	0.03
25-29	886	0.12	1,331	0.10	3,309	0.11
30-49	4,595	0.65	9,608	0.76	22,099	0.74
50+	592	0.08	1,187	0.09	3,180	0.11
Unk	106	0.01	0	0.00	0	0.00
TOTAL	7,101	1.00	12,717	1.00	29,873	1.00
Race/Ethnicity						
White	2,281	0.32	4,121	0.32	11,709	0.39
Black	3,117	0.44	5,585	0.44	12,088	0.40
Hispanic	1,596	0.22	2,859	0.22	5,838	0.20
Asian/PI	27	0.00	37	0.00	72	0.00
Native Am	22	0.00	29	0.00	46	0.00
Multi Race	21	0.00	63	0.00	66	0.00
Other/Unk	37	0.01	23	0.00	54	0.00
TOTAL	7,101	1.00	12,717	1.00	29,873	1.00
Risk						
MSM	1,412	0.20	2,751	0.22	7,674	0.26
IDU	1,711	0.24	4,184	0.33	12,274	0.41
MSM/IDU	134	0.02	418	0.03	1,229	0.04
Heterosexual	1,454	0.20	2,013	0.16	3,418	0.11
Blood Prod.	33	0.00	115	0.01	466	0.02
Pediatric Risk	172	0.02	120	0.01	333	0.01
Other/Unk	2,185	0.31	3,116	0.25	4,479	0.15
TOTAL	7,101	1.00	12,717	1.00	29,873	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

NEW YORK STATE (Excluding NYC) - Includes Prisoners

Table 4B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	370	0.61	803	0.69
Female	236	0.39	359	0.31
TOTAL	606	1.00	1,162	1.00
Age Group				
<13	6	0.01	0	0.00
13-19	16	0.03	16	0.01
20-24	36	0.06	28	0.02
25-29	69	0.11	78	0.07
30-49	398	0.66	838	0.72
50+	80	0.13	202	0.17
unk	1	0.00	0	0.00
TOTAL	606	1.00	1,162	1.00
Race/Ethnicity				
White	178	0.29	339	0.29
Black	296	0.49	576	0.50
Hispanic	118	0.19	223	0.19
Asian/PI	4	0.01	2	0.00
Native Am	6	0.01	4	0.00
Multi Race	3	0.00	17	0.01
Other/Unk	1	0.00	1	0.00
TOTAL	606	1.00	1,162	1.00
Risk				
MSM	147	0.24	244	0.21
IDU	124	0.20	247	0.21
MSM/IDU	9	0.01	29	0.02
Heterosexual	152	0.25	264	0.23
Blood Prod.	2	0.00	8	0.01
Pediatric Risk	3	0.00	2	0.00
Other/Unk	169	0.28	368	0.32
TOTAL	606	1.00	1,162	1.00

*Cases reported and confirmed through December 2004

NEW YORK STATE: (Excluding NYC)
by County

Pages 17-18

Table 5A
HIV/AIDS Cases
Diagnosed through December 2002

County	Living HIV*		AIDS**			
			Living		Cumulative	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	299	333	422	437	966	991
Allegany	3	3	7	8	19	20
Broome	104	107	109	113	248	252
Cattaraugus	19	59	15	36	39	65
Cayuga	18	90	33	125	68	276
Chautauqua	48	76	53	69	103	124
Chemung	29	62	29	80	110	236
Chenango	14	19	19	26	34	47
Clinton	17	75	22	191	53	426
Columbia	27	64	28	55	77	128
Cortland	5	5	7	7	19	19
Delaware	18	18	18	19	37	38
Dutchess	172	326	326	592	841	1,457
Erie	469	536	691	788	1,702	1,893
Essex	10	50	15	76	47	174
Franklin	12	197	16	208	32	350
Fulton	13	15	16	17	36	38
Genesee	14	14	20	22	42	44
Greene	20	49	31	100	61	191
Hamilton	1	1	1	1	2	2
Herkimer	11	11	12	12	30	30
Jefferson	22	99	31	162	66	272
Lewis	20	20	4	5	10	11
Livingston	12	85	26	96	62	194
Madison	10	11	14	26	33	49
Monroe	503	529	870	886	1,958	1,989
Montgomery	23	25	27	27	69	69
Nassau	555	577	1,332	1,353	3,581	3,623
Niagara	40	43	65	67	198	200
Oneida	87	239	137	437	324	879
Onondaga	223	230	427	436	1,006	1,020
Ontario	17	18	30	31	52	53
Orange	183	254	393	499	1,014	1,218
Orleans	9	167	19	221	36	342
Oswego	19	19	37	37	78	78
Otsego	20	20	25	26	60	61
Putnam	18	19	65	66	159	160

County	Living HIV*		AIDS**			
			Living		Cumulative	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Rensselaer	62	66	102	105	229	232
Rockland	122	125	356	421	821	888
Saratoga	36	74	59	111	157	270
Schenectady	127	133	147	156	355	365
Schoharie	12	19	6	10	31	35
Schuyler	1	5	2	4	12	14
Seneca	7	84	4	45	16	61
St Lawrence	26	126	38	185	66	293
Steuben	16	18	22	22	67	67
Suffolk	580	596	1,313	1,335	3,518	3,573
Sullivan	100	148	166	238	457	607
Tioga	8	8	6	6	23	23
Tompkins	16	17	58	61	115	118
Ulster	101	197	225	380	558	848
Warren	15	15	27	27	57	57
Washington	7	43	18	106	44	283
Wayne	30	40	31	44	77	95
Westchester	653	842	1,718	1,963	4,263	4,719
Wyoming	5	74	8	140	16	297
Yates	6	6	1	1	8	8
Unk	0	0	0	0	1	1
TOTAL	5,014	7,101	9,699	12,717	24,163	29,873

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

**NEW YORK STATE: (Excluding NYC)
by County**

Pages 19-20

Table 5B
Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2002 - December 2002

County	Initial HIV Diagnosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	36	37	48	49
Allegany	1	1	4	4
Broome	9	9	13	13
Cattaraugus	5	7	1	5
Cayuga	1	1	3	7
Chautauqua	6	7	10	14
Chemung	2	3	1	4
Chenango	0	1	5	6
Clinton	0	5	3	8
Columbia	2	3	1	3
Cortland	1	1	4	4
Delaware	2	2	4	4
Dutchess	11	15	24	43
Erie	47	49	65	73
Essex	3	5	0	3
Franklin	2	6	3	14
Fulton	0	0	1	1
Genesee	4	4	2	2
Greene	1	3	4	9
Hamilton	0	0	0	0
Herkimer	0	0	1	1
Jefferson	0	2	3	10
Lewis	7	7	2	2
Livingston	0	0	3	6
Madison	0	0	0	0
Monroe	66	66	103	105
Montgomery	2	2	3	3
Nassau	50	52	135	140
Niagara	7	8	6	6
Oneida	11	17	14	31
Onondaga	22	22	41	44
Ontario	3	3	5	5
Orange	17	20	45	51
Orlean	2	6	4	14
Oswego	5	5	8	8
Otsego	3	3	1	1

County	Initial HIV Diagnosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Putnam	4	4	2	2
Rensselaer	1	2	14	16
Rockland	15	15	26	30
Saratoga	1	1	7	11
Schenectady	13	13	18	23
Schoharie	6	6	0	0
Schuyler	0	0	0	1
Seneca	1	3	0	10
St Lawrence	3	3	4	8
Steuben	1	1	2	2
Suffolk	64	65	101	105
Sullivan	17	19	21	23
Tioga	1	1	0	0
Tompkins	2	2	8	8
Ulster	5	5	11	21
Warren	1	1	4	4
Washington	0	0	3	7
Wayne	8	9	3	3
Westchester	75	83	173	189
Wyoming	0	0	0	6
Yates	1	1	0	0
TOTAL	547	606	967	1,162

*Cases reported and confirmed through December 2004

NEW YORK CITY - *Males*

Table 6A
Living (Prevalent) HIV/AIDS Cases (including prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed through December 2002*

	HIV		AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	725	0.05	357	0.01
13-19	218	0.01	188	0.01
20-24	885	0.06	763	0.02
25-29	1,703	0.11	2,982	0.09
30-49	9,599	0.64	23,843	0.73
50+	1,815	0.12	4,456	0.14
Unk	10	0.00	0	0.00
TOTAL	14,955	1.00	32,589	1.00
Race/Ethnicity				
White	4,389	0.29	7,792	0.24
Black	5,434	0.36	13,305	0.41
Hispanic	4,446	0.30	10,904	0.33
Asian/PI	197	0.01	392	0.01
Native Am	14	0.00	21	0.00
Multi Race	5	0.00	8	0.00
Other/Unk	470	0.03	167	0.01
TOTAL	14,955	1.00	32,589	1.00
Risk				
MSM	6,174	0.41	11,880	0.36
IDU	1,664	0.11	9,590	0.29
MSM/IDU	255	0.02	888	0.03
Heterosexual	1,044	0.07	2,144	0.07
Bld/hemop/trans	34	0.00	125	0.00
Pediatric Risk	618	0.04	390	0.01
Other/Unk	5,166	0.35	7,572	0.23
TOTAL	14,955	1.00	32,589	1.00

* Cases reported and confirmed through December 2004

NEW YORK CITY - *Males*

Table 6B
Newly Diagnosed HIV/AIDS Cases (including prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002*

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	11	0.01	4	0.00
13-19	53	0.02	26	0.01
20-24	151	0.07	66	0.03
25-29	247	0.11	165	0.06
30-49	1,388	0.64	1,751	0.67
50+	310	0.14	598	0.23
TOTAL	2,160	1.00	2,610	1.00
Race/Ethnicity				
White	464	0.21	496	0.19
Black	1,004	0.46	1,248	0.48
Hispanic	633	0.29	801	0.31
Asian/PI	40	0.02	43	0.02
Native Am	3	0.00	4	0.00
Multi Race	2	0.00	1	0.00
Other/Unk	14	0.01	17	0.01
TOTAL	2,160	1.00	2,610	1.00
Risk				
MSM	902	0.42	810	0.31
IDU	211	0.10	372	0.14
MSM/IDU	33	0.02	55	0.02
Heterosexual	181	0.08	286	0.11
Blood Prod.	5	0.00	9	0.00
Pediatric risk	7	0.00	9	0.00
Other/Unk	821	0.38	1,069	0.41
TOTAL	2,160	1.00	2,610	1.00

* Cases reported and confirmed through December 2004

NEW YORK CITY - Females

Table 6C
Living HIV/AIDS Cases (including prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed through December 2002*

	HIV		AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	748	0.09	368	0.03
13-19	254	0.03	208	0.02
20-24	681	0.08	582	0.04
25-29	1,055	0.12	1,540	0.11
30-49	4,975	0.58	9,580	0.70
50+	798	0.09	1,409	0.10
Unk	9	0.00	0	0.00
TOTAL	8,520	1.00	13,687	1.00
Race/Ethnicity				
White	694	0.08	1,411	0.10
Black	4,974	0.58	7,668	0.56
Hispanic	2,591	0.30	4,473	0.33
Asian/PI	63	0.01	78	0.01
Native Am	6	0.00	4	0.00
Multi Race	2	0.00	1	0.00
Other/Unk	190	0.02	52	0.00
TOTAL	8,520	1.00	13,687	1.00
Risk				
IDU	1,012	0.12	4,290	0.31
Heterosexual	2,494	0.29	4,509	0.33
Blood Prod.	55	0.01	141	0.01
Pediatric Risk	636	0.07	400	0.03
Unk	4,323	0.51	4,347	0.32
TOTAL	8,520	1.00	13,687	1.00

* Cases reported and confirmed through December 2004

NEW YORK CITY - Females

Table 6D
Newly Diagnosed HIV/AIDS Cases (including prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002*

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	11	0.01	2	0.00
13-19	42	0.03	32	0.02
20-24	136	0.11	52	0.04
25-29	153	0.12	105	0.08
30-49	739	0.60	926	0.67
50+	146	0.12	256	0.19
TOTAL	1,227	1.00	1,373	1.00
Race/Ethnicity				
White	94	0.08	97	0.07
Black	805	0.66	894	0.65
Hispanic	315	0.26	363	0.26
Asian/PI	10	0.01	12	0.01
Native Am	2	0.00	0	0.00
Other/Unk	1	0.00	7	0.01
TOTAL	1,227	1.00	1,373	1.00
Risk				
IDU	122	0.10	193	0.14
Heterosexual	368	0.30	414	0.30
Bld/hemop/trans	3	0.00	10	0.01
Pediatric risk	8	0.01	15	0.01
Other/Unk	726	0.59	741	0.54
TOTAL	1,227	1.00	1,373	1.00

* Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - MALES

Table 7A
Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk, Diagnosed through December 2002

	HIV		AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	120	0.04	57	0.01
13-19	65	0.02	54	0.01
20-24	206	0.07	160	0.02
25-29	365	0.12	597	0.09
30-49	1,876	0.63	5,076	0.75
50+	293	0.10	782	0.12
Unk	62	0.02	0	0.00
TOTAL	2,987	1.00	6,726	1.00
Race/Ethnicity				
White	1,434	0.48	2,983	0.44
Black	1,032	0.35	2,573	0.38
Hispanic	460	0.15	1,075	0.16
Asian/PI	18	0.01	26	0.00
Native Am	8	0.00	18	0.00
Multi Race	9	0.00	38	0.01
Other/Unk	26	0.01	13	0.00
TOTAL	2,987	1.00	6,726	1.00
Risk				
MSM	1,360	0.46	2,668	0.40
IDU	613	0.21	2,055	0.31
MSM/IDU	115	0.04	369	0.05
Heterosexual	305	0.10	519	0.08
Blood Prod.	22	0.01	82	0.01
Pediatric risk	86	0.03	68	0.01
Other/Unk	486	0.16	965	0.14
TOTAL	2,987	1.00	6,726	1.00

* Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - MALES

Table 7B
Newly Diagnosed HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002*

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	3	0.01	0	0.00
13-19	7	0.02	9	0.01
20-24	21	0.06	14	0.02
25-29	29	0.09	41	0.06
30-49	220	0.67	448	0.71
50+	45	0.14	123	0.19
Unk	1	0.00	0	0.00
TOTAL	326	1.00	635	1.00
Race/Ethnicity				
White	114	0.35	234	0.37
Black	140	0.43	268	0.42
Hispanic	64	0.20	116	0.18
Asian/PI	3	0.01	2	0.00
Native Am	2	0.01	4	0.01
Multi Race	2	0.01	10	0.02
Other/Unk	1	0.00	1	0.00
TOTAL	326	1.00	635	1.00
Risk				
MSM	140	0.43	238	0.37
IDU	58	0.18	122	0.19
MSM/IDU	9	0.03	25	0.04
Heterosexual	40	0.12	78	0.12
Blood Prod.	1	0.00	3	0.00
Pediatric Risk	2	0.01	0	0.00
Other/Unk	76	0.23	169	0.27
TOTAL	326	1.00	635	1.00

* Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - FEMALES				
Table 7C				
Living HIV/AIDS Cases (excluding prisoners)				
by Age, Race/Ethnicity and Risk				
Diagnosed through December 2002*				
		HIV		AIDS
	Number	Percent	Number	Percent
Age Group				
<13	123	0.06	51	0.02
13-19	105	0.05	53	0.02
20-24	201	0.10	126	0.04
25-29	294	0.15	385	0.13
30-49	1,136	0.56	2,119	0.71
50+	130	0.06	239	0.08
Unk	37	0.02	0	0.00
TOTAL	2,026	1.00	2,973	1.00
Race/Ethnicity				
White	668	0.33	903	0.30
Black	1,015	0.50	1,552	0.52
Hispanic	313	0.15	477	0.16
Asian/PI	6	0.00	8	0.00
Native Am	9	0.00	6	0.00
Multi Race	8	0.00	20	0.01
Other/Unk	7	0.00	7	0.00
TOTAL	2,026	1.00	2,973	1.00
Risk				
IDU	407	0.20	915	0.31
Heterosexual	1,017	0.50	1,382	0.46
Blood Prod.	11	0.01	30	0.01
Pediatric risk	86	0.04	52	0.02
Unk	505	0.25	594	0.20
TOTAL	2,026	1.00	2,973	1.00

*Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - FEMALES

Table 7D
Newly Diagnosed HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002*

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	3	0.01	0	0.00
13-19	9	0.04	6	0.02
20-24	14	0.06	8	0.02
25-29	32	0.14	25	0.08
30-49	132	0.60	236	0.71
50+	31	0.14	57	0.17
TOTAL	221	1.00	332	1.00
Race/Ethnicity				
White	54	0.24	82	0.25
Black	125	0.57	191	0.58
Hispanic	36	0.16	52	0.16
Asian/PI	1	0.00	0	0.00
Native Am	4	0.02	0	0.00
Multi Race	1	0.00	7	0.02
TOTAL	221	1.00	332	1.00
Risk				
IDU	43	0.19	62	0.19
Heterosexual	107	0.48	162	0.49
Bld/hemop/trans	1	0.00	4	0.01
Pediatric risk	1	0.00	2	0.01
Unk	69	0.31	102	0.31
TOTAL	221	1.00	332	1.00

* Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - PRISONERS

Table 8A
Living HIV/AIDS Cases*
Diagnosed through December 2002

MALES		HIV		AIDS	
Age Group	Number	Percent	Number	Percent	
<13	1	0.00	0	0.00	
13-19	11	0.01	6	0.00	
20-24	59	0.04	71	0.03	
25-29	164	0.10	292	0.11	
30-49	1,220	0.76	2,125	0.80	
50+	143	0.09	153	0.06	
Unk	6	0.00	0	0.00	
TOTAL	1,604	1.00	2,647	1.00	
Race/Ethnicity					
White	128	0.08	212	0.08	
Black	818	0.51	1,243	0.47	
Hispanic	645	0.40	1,178	0.45	
Asian/PI	3	0.00	3	0.00	
Native Am	4	0.00	4	0.00	
Multi Race	3	0.00	5	0.00	
Other/Unk	3	0.00	2	0.00	
TOTAL	1,604	1.00	2,647	1.00	
FEMALES		HIV		AIDS	
Age Group	Number	Percent	Number	Percent	
< 13	0	0.00	0	0.00	
13-19	3	0.01	2	0.01	
20-24	28	0.06	11	0.03	
25-29	63	0.13	57	0.15	
30-49	362	0.75	288	0.78	
50+	26	0.05	13	0.04	
Unk	1	0.00	0	0.00	
TOTAL	483	1.00	371	1.00	
Race/Ethnicity					
White	51	0.11	23	0.06	
Black	251	0.52	217	0.58	
Hispanic	178	0.37	129	0.35	
Asian/PI	0	0.00	0	0.00	
Native Am	1	0.00	1	0.00	
Multi Race	1	0.00	0	0.00	
Other/Unk	1	0.00	1	0.00	
TOTAL	483	1.00	371	1.00	

* Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - PRISONERS

Table 8B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age and Race/Ethnicity
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	44	0.75	168	0.86
Female	15	0.25	27	0.14
TOTAL	59	1.00	195	1.00
Age Group				
13-19	0	0.00	1	0.01
20-24	1	0.02	6	0.03
25-29	8	0.14	12	0.06
30-49	46	0.78	154	0.79
50+	4	0.07	22	0.11
TOTAL	59	1.00	195	1.00
Race/Ethnicity				
White	10	0.17	23	0.12
Black	31	0.53	117	0.60
Hispanic	18	0.31	55	0.28
TOTAL	59	1.00	195	1.00

*Cases reported and confirmed through December 2004

**NEW YORK STATE (Excluding NYC)
by Ryan White Region**

**Table 9A
Living HIV/AIDS Cases*
Diagnosed through December 2002**

(Includes Prisoners)

Ryan White Region	Living HIV	AIDS	
		Living	Cumulative
Albany	1,197	1,672	3,710
Binghamton	134	145	322
Buffalo	972	1,351	2,985
Lower Hudson	986	2,450	5,767
Mid Hudson	925	1,709	4,130
Nassau/Suffolk	1,173	2,688	7,196
Rochester	847	1,209	2,717
Syracuse	867	1,493	3,045
Unk	0	0	1
TOTAL	7,101	12,717	29,873

(Excludes Prisoners)

Ryan White Region	Living HIV	AIDS	
		Living	Cumulative
Albany	719	980	2,313
Binghamton	126	134	305
Buffalo	607	878	2,155
Lower Hudson	793	2,139	5,243
Mid Hudson	556	1,110	2,870
Nassau/Suffolk	1,135	2,645	7,099
Rochester	621	1,015	2,362
Syracuse	457	798	1,815
Unk	0	0	1
TOTAL	5,014	9,699	24,163

*cases reported and confirmed through December 2004

**NEW YORK STATE (Excluding NYC)
by Ryan White Region**

**Table 9B
Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2002 - December 2002**

(Includes Prisoners)

Ryan White Region	Initial HIV	Initial AIDS
Albany	89	156
Binghamton	11	19
Buffalo	82	124
Lower Hudson	102	221
Mid Hudson	59	138
Nassau/Suffolk	117	245
Rochester	86	136
Syracuse	60	123
TOTAL	606	1,162

(Excludes Prisoners)

Ryan White Region	Initial HIV	Initial AIDS
Albany	73	114
Binghamton	10	18
Buffalo	72	92
Lower Hudson	94	201
Mid Hudson	50	101
Nassau/Suffolk	114	236
Rochester	82	117
Syracuse	52	88
TOTAL	547	967

*Cases reported and confirmed through Dec. 2004

Ryan White Region: Albany

Page 33

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV**		AIDS***			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	437	0.61	690	0.70	1,783	0.77
Female	282	0.39	290	0.30	530	0.23
Unknown	0	0.00	0	0.00	0	0.00
TOTAL	719	1.00	980	1.00	2,313	1.00
Age Group						
<13	30	0.04	12	0.01	28	0.01
13-19	27	0.04	11	0.01	18	0.01
20-24	87	0.12	29	0.03	72	0.03
25-29	123	0.17	122	0.12	295	0.13
30-49	399	0.55	726	0.74	1,673	0.72
50+	50	0.07	80	0.08	227	0.10
Unk	3	0.00	0	0.00	0	0.00
TOTAL	719	1.00	980	1.00	2,313	1.00
Race/Ethnicity						
White	376	0.52	493	0.50	1,296	0.56
Black	246	0.34	354	0.36	719	0.31
Hispanic	81	0.11	123	0.13	280	0.12
Asian/PI	5	0.01	4	0.00	6	0.00
Native Am	5	0.01	1	0.00	3	0.00
Multi Race	0	0.00	3	0.00	3	0.00
Other/Unk	6	0.01	2	0.00	6	0.00
TOTAL	719	1.00	980	1.00	2,313	1.00
Risk						
MSM	244	0.34	313	0.32	854	0.37
IDU	115	0.16	253	0.26	687	0.30
MSM/IDU	16	0.02	30	0.03	96	0.04
Heterosexual	152	0.21	154	0.16	265	0.11
Blood Prod.	7	0.01	8	0.01	46	0.02
Pediatric risk	19	0.03	12	0.01	28	0.01
Other/Unk	166	0.23	210	0.21	337	0.15
TOTAL	719	1.00	980	1.00	2,313	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Albany

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	42	0.58	72	0.63
Female	31	0.42	42	0.37
TOTAL	73	1.00	114	1.00
Age Group				
<13	2	0.03	0	0.00
13-19	1	0.01	2	0.02
20-24	3	0.04	2	0.02
25-29	4	0.05	8	0.07
30-49	49	0.67	91	0.80
50+	13	0.18	11	0.10
Other/Unk	1	0.01	0	0.00
TOTAL	73	1.00	114	1.00
Race/Ethnicity				
White	32	0.44	47	0.41
Black	33	0.45	48	0.42
Hispanic	7	0.10	15	0.13
Asian/PI	0	0.00	1	0.01
Native Am	1	0.01	1	0.01
Multi Race	0	0.00	1	0.01
Other/Unk	0	0.00	1	0.01
TOTAL	73	1.00	114	1.00
Risk				
MSM	16	0.22	30	0.26
IDU	9	0.12	14	0.12
MSM/IDU	0	0.00	3	0.03
Heterosexual	14	0.19	23	0.20
Other/Unk	34	0.47	44	0.39
TOTAL	73	1.00	114	1.00

* Excludes Prisoners
 Cases reported and confirmed through December 2004

Ryan White Region: Binghamton
 (Includes counties of: Broome, Chenango, Tioga)

Table 11A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV**		AIDS***			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	79	0.63	91	0.68	232	0.76
Female	47	0.37	43	0.32	73	0.24
TOTAL	126	1.00	134	1.00	305	1.00
Age Group						
<13	6	0.05	0	0.00	1	0.00
13-19	3	0.02	2	0.01	4	0.01
20-24	12	0.10	6	0.04	12	0.04
25-29	19	0.15	8	0.06	35	0.11
30-49	79	0.63	102	0.76	221	0.72
50+	7	0.06	16	0.12	32	0.10
TOTAL	126	1.00	134	1.00	305	1.00
Race/Ethnicity						
White	73	0.58	81	0.60	210	0.69
Black	33	0.26	38	0.28	68	0.22
Hispanic	20	0.16	14	0.10	26	0.09
Native Am	0	0.00	1	0.01	1	0.00
Other/Unk	0	0.00	0	0.00	0	0.00
TOTAL	126	1.00	134	1.00	305	1.00
Risk						
MSM	27	0.21	50	0.37	131	0.43
IDU	33	0.26	33	0.25	75	0.25
MSM/IDU	4	0.03	5	0.04	20	0.07
Heterosexual	22	0.17	16	0.12	32	0.10
Blood Prod.	0	0.00	2	0.01	4	0.01
Pediatric risk	6	0.05	1	0.01	4	0.01
Other/Unk	34	0.27	27	0.20	39	0.13
TOTAL	126	1.00	134	1.00	305	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Binghamton
(Includes counties of: Broome, Chenango, Tioga)

Table 11B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	7	0.70	11	0.61
Female	3	0.30	7	0.39
TOTAL	10	1.00	18	1.00
Age Group				
20-24	2	0.20	0	0.00
25-29	2	0.20	1	0.06
30-49	6	0.60	16	0.89
50+	0	0.00	1	0.06
TOTAL	10	1.00	18	1.00
Race/Ethnicity				
White	4	0.40	10	0.56
Black	3	0.30	4	0.22
Hispanic	3	0.30	4	0.22
TOTAL	10	1.00	18	1.00
Risk				
MSM	2	0.20	4	0.22
IDU	0	0.00	4	0.22
MSM/IDU	1	0.10	2	0.11
Heterosexual	2	0.20	1	0.06
Blood Prod.	0	0.00	1	0.06
Other/Unk	5	0.50	6	0.33
TOTAL	10	1.00	18	1.00

* Excludes Prisoners
Cases reported and confirmed through December 2004

Ryan White Region: Buffalo

(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

Table 12A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV**		AIDS***			
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	365	0.60	639	0.73	1,680	0.78
Female	242	0.40	239	0.27	475	0.22
Unk	0	0.00	0	0.00	0	0.00
TOTAL	607	1.00	878	1.00	2,155	1.00
Age Group						
<13	17	0.03	5	0.01	18	0.01
13-19	36	0.06	12	0.01	19	0.01
20-24	70	0.12	36	0.04	87	0.04
25-29	105	0.17	93	0.11	266	0.12
30-49	347	0.57	629	0.72	1,489	0.69
50+	32	0.05	103	0.12	276	0.13
TOTAL	607	1.00	878	1.00	2,155	1.00
Race/Ethnicity						
White	236	0.39	360	0.41	959	0.45
Black	267	0.44	381	0.43	923	0.43
Hispanic	94	0.15	111	0.13	234	0.11
Asian/PI	3	0.00	6	0.01	8	0.00
Native Am	1	0.00	8	0.01	11	0.01
Multi Race	3	0.00	9	0.01	9	0.00
Other/Unk	3	0.00	3	0.00	11	0.01
TOTAL	607	1.00	878	1.00	2,155	1.00
Risk						
MSM	199	0.33	357	0.41	941	0.44
IDU	125	0.21	207	0.24	623	0.29
MSM/IDU	14	0.02	37	0.04	93	0.04
Heterosexual	209	0.34	201	0.23	341	0.16
Blood Prod.	4	0.01	11	0.01	40	0.02
Pediatric risk	15	0.02	7	0.01	21	0.01
Other/Unk	41	0.07	58	0.07	96	0.04
TOTAL	607	1.00	878	1.00	2,155	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Buffalo

(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

Table 12B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	53	0.74	63	0.68
Female	19	0.26	29	0.32
TOTAL	72	1.00	92	1.00
Age Group				
<13	1	0.01	0	0.00
13-19	4	0.06	1	0.01
20-24	6	0.08	5	0.05
25-29	10	0.14	11	0.12
30-49	43	0.60	53	0.58
50+	8	0.11	22	0.24
TOTAL	72	1.00	92	1.00
Race/Ethnicity				
White	21	0.29	34	0.37
Black	35	0.49	43	0.47
Hispanic	12	0.17	10	0.11
Asian/PI	1	0.01	1	0.01
Native Am	2	0.03	2	0.02
Multi Race	1	0.01	2	0.02
TOTAL	72	1.00	92	1.00
Risk				
MSM	26	0.36	30	0.33
IDU	11	0.15	20	0.22
MSM/IDU	2	0.03	4	0.04
Heterosexual	22	0.31	21	0.23
Pediatric risk	1	0.01	1	0.01
Other/Unk	10	0.14	16	0.17
TOTAL	72	1.00	92	1.00

* Excludes Prisoners
Cases reported and confirmed through December 2004

Ryan White Region: Lower Hudson
 (Includes counties of: Putnam, Rockland, Westchester)

Table 13A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV**		AIDS***			
	Number	Percent	Living		Cumulative	
			Number	Percent	Number	Percent
Gender						
Male	451	0.57	1,416	0.66	3,785	0.72
Female	341	0.43	723	0.34	1,458	0.28
Unk	1	0.00	0	0.00	0	0.00
TOTAL	793	1.00	2,139	1.00	5,243	1.00
Age Group						
<13	43	0.05	30	0.01	83	0.02
13-19	23	0.03	24	0.01	34	0.01
20-24	54	0.07	42	0.02	110	0.02
25-29	64	0.08	184	0.09	468	0.09
30-49	475	0.60	1,615	0.76	3,830	0.73
50+	93	0.12	244	0.11	718	0.14
Unk	41	0.05	0	0.00	0	0.00
TOTAL	793	1.00	2,139	1.00	5,243	1.00
Race/Ethnicity						
White	215	0.27	566	0.26	1,759	0.34
Black	408	0.51	1,117	0.52	2,570	0.49
Hispanic	161	0.20	427	0.20	868	0.17
Asian/PI	2	0.00	3	0.00	14	0.00
Native Am	0	0.00	3	0.00	4	0.00
Multi Race	5	0.01	17	0.01	18	0.00
Other/Unk	2	0.00	6	0.00	10	0.00
TOTAL	793	1.00	2,139	1.00	5,243	1.00
Risk						
MSM	146	0.18	431	0.20	1,282	0.24
IDU	177	0.22	823	0.38	2,311	0.44
MSM/IDU	15	0.02	74	0.03	191	0.04
Heterosexual	288	0.36	557	0.26	915	0.17
Blood Prod.	5	0.01	16	0.01	71	0.01
Pediatric risk	32	0.04	29	0.01	84	0.02
Other/Unk	130	0.16	209	0.10	389	0.07
TOTAL	793	1.00	2,139	1.00	5,243	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Lower Hudson
 (Includes counties of: Putnam, Rockland, Westchester)

Table 13B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	50	0.53	121	0.60
Female	44	0.47	80	0.40
TOTAL	94	1.00	201	1.00
Age Group				
13-19	4	0.04	3	0.01
20-24	3	0.03	3	0.01
25-29	9	0.10	9	0.04
30-49	67	0.71	140	0.70
50+	11	0.12	46	0.23
TOTAL	94	1.00	201	1.00
Race/Ethnicity				
White	13	0.14	37	0.18
Black	48	0.51	110	0.55
Hispanic	31	0.33	50	0.25
Multi Race	2	0.02	4	0.02
TOTAL	94	1.00	201	1.00
Risk				
MSM	18	0.19	36	0.18
IDU	17	0.18	43	0.21
MSM/IDU	3	0.03	4	0.02
Heterosexual	42	0.45	77	0.38
Other/Unk	14	0.15	41	0.20
TOTAL	94	1.00	201	1.00

* Excludes Prisoners
 Cases reported and confirmed through December 2004

Ryan White Region: Mid-Hudson
 (Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV**		AIDS***			
	Number	Percent	Living		Cumulative	
			Number	Percent	Number	Percent
Gender						
Male	326	0.59	776	0.70	2,188	0.76
Female	230	0.41	334	0.30	682	0.24
TOTAL	556	1.00	1,110	1.00	2,870	1.00
Age Group						
<13	28	0.05	15	0.01	38	0.01
13-19	9	0.02	11	0.01	16	0.01
20-24	29	0.05	29	0.03	63	0.02
25-29	44	0.08	98	0.09	260	0.09
30-49	359	0.65	837	0.75	2,157	0.75
50+	56	0.10	120	0.11	336	0.12
Unk	31	0.06	0	0.00	0	0.00
TOTAL	556	1.00	1,110	1.00	2,870	1.00
Race/Ethnicity						
White	242	0.44	411	0.37	1,143	0.40
Black	214	0.38	440	0.40	1,060	0.37
Hispanic	96	0.17	247	0.22	646	0.23
Asian/PI	1	0.00	0	0.00	4	0.00
Native Am	1	0.00	2	0.00	4	0.00
Multi Race	2	0.00	7	0.01	8	0.00
Other/Unk	0	0.00	3	0.00	5	0.00
TOTAL	556	1.00	1,110	1.00	2,870	1.00
Risk						
MSM	102	0.18	204	0.18	610	0.21
IDU	180	0.32	466	0.42	1,416	0.49
MSM/IDU	16	0.03	39	0.04	103	0.04
Heterosexual	182	0.33	249	0.22	411	0.14
Blood Prod.	3	0.01	8	0.01	39	0.01
Pediatric risk	25	0.04	16	0.01	39	0.01
Other/Unk	48	0.09	128	0.12	252	0.09
TOTAL	556	1.00	1,110	1.00	2,870	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Mid-Hudson
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	30	0.60	65	0.64
Female	20	0.40	36	0.36
TOTAL	50	1.00	101	1.00
Age Group				
<13	1	0.02	0	0.00
13-19	0	0.00	1	0.01
20-24	1	0.02	1	0.01
25-29	3	0.06	6	0.06
30-49	36	0.72	73	0.72
50+	9	0.18	20	0.20
TOTAL	50	1.00	101	1.00
Race/Ethnicity				
White	12	0.24	34	0.34
Black	26	0.52	52	0.51
Hispanic	12	0.24	11	0.11
Native Am	0	0.00	1	0.01
Multi Race	0	0.00	3	0.03
TOTAL	50	1.00	101	1.00
Risk				
MSM	5	0.10	21	0.21
IDU	23	0.46	29	0.29
MSM/IDU	1	0.02	3	0.03
Heterosexual	16	0.32	32	0.32
Blood Prod.	0	0.00	2	0.02
Pediatric risk	1	0.02	1	0.01
Other/Unk	4	0.08	13	0.13
TOTAL	50	1.00	101	1.00

* Excludes Prisoners
Cases reported and confirmed through December 2004

Ryan White Region: Nassau/Suffolk
(Includes counties of: Nassau, Suffolk)

Table 15A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV**		AIDS***			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	635	0.56	1,837	0.69	5,305	0.75
Female	500	0.44	808	0.31	1,794	0.25
Unk	0	0.00	0	0.00	0	0.00
TOTAL	1,135	1.00	2,645	1.00	7,099	1.00
Age Group						
<13	87	0.08	35	0.01	110	0.02
13-19	29	0.03	34	0.01	53	0.01
20-24	68	0.06	81	0.03	169	0.02
25-29	127	0.11	238	0.09	693	0.10
30-49	705	0.62	1,956	0.74	5,190	0.73
50+	97	0.09	301	0.11	884	0.12
Unk	22	0.02	0	0.00	0	0.00
TOTAL	1,135	1.00	2,645	1.00	7,099	1.00
Race/Ethnicity						
White	449	0.40	1,118	0.42	3,504	0.49
Black	468	0.41	1,078	0.41	2,701	0.38
Hispanic	185	0.16	413	0.16	833	0.12
Asian/PI	9	0.01	14	0.01	28	0.00
Native Am	4	0.00	5	0.00	10	0.00
Multi Race	4	0.00	13	0.00	13	0.00
Other/Unk	16	0.01	4	0.00	10	0.00
TOTAL	1,135	1.00	2,645	1.00	7,099	1.00
Risk						
MSM	273	0.24	708	0.27	2,074	0.29
IDU	189	0.17	746	0.28	2,618	0.37
MSM/IDU	24	0.02	118	0.04	336	0.05
Heterosexual	258	0.23	425	0.16	822	0.12
Blood Prod.	12	0.01	37	0.01	158	0.02
Pediatric risk	52	0.05	38	0.01	117	0.02
Other/Unk	327	0.29	573	0.22	974	0.14
TOTAL	1,135	1.00	2,645	1.00	7,099	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Nassau/Suffolk
(Includes counties of: Nassau, Suffolk)

Table 15B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	63	0.55	158	0.67
Female	51	0.45	78	0.33
TOTAL	114	1.00	236	1.00
Age Group				
<13	2	0.02	0	0.00
13-19	5	0.04	5	0.02
20-24	9	0.08	8	0.03
25-29	17	0.15	10	0.04
30-49	63	0.55	161	0.68
50+	18	0.16	52	0.22
TOTAL	114	1.00	236	1.00
Race/Ethnicity				
White	33	0.29	72	0.31
Black	56	0.49	107	0.45
Hispanic	20	0.18	54	0.23
Asian/PI	2	0.02	0	0.00
Native Am	2	0.02	0	0.00
Multi Race	0	0.00	3	0.01
Other/Unk	1	0.01	0	0.00
TOTAL	114	1.00	236	1.00
Risk				
MSM	35	0.31	59	0.25
IDU	13	0.11	36	0.15
MSM/IDU	0	0.00	1	0.00
Heterosexual	25	0.22	50	0.21
Blood Prod.	2	0.02	3	0.01
Pediatric risk	1	0.01	0	0.00
Other/Unk	38	0.33	87	0.37
TOTAL	114	1.00	236	1.00

* Excludes Prisoners

Cases reported and confirmed through December 2004

Ryan White Region: Rochester

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)

Table 16A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV**		AIDS***			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	407	0.66	706	0.70	1,792	0.76
Female	214	0.34	309	0.30	570	0.24
Unk	0	0.00	0	0.00	0	0.00
TOTAL	621	1.00	1,015	1.00	2,362	1.00
Age Group						
<13	15	0.02	7	0.01	19	0.01
13-19	19	0.03	4	0.00	11	0.00
20-24	46	0.07	19	0.02	59	0.02
25-29	108	0.17	142	0.14	302	0.13
30-49	372	0.60	754	0.74	1,723	0.73
50+	61	0.10	89	0.09	248	0.10
TOTAL	621	1.00	1,015	1.00	2,362	1.00
Race/Ethnicity						
White	271	0.44	435	0.43	1,182	0.50
Black	260	0.42	431	0.42	893	0.38
Hispanic	85	0.14	138	0.14	271	0.11
Asian/PI	0	0.00	2	0.00	4	0.00
Native Am	3	0.00	1	0.00	3	0.00
Multi Race	0	0.00	7	0.01	7	0.00
Other/Unk	2	0.00	1	0.00	2	0.00
TOTAL	621	1.00	1,015	1.00	2,362	1.00
Risk						
MSM	220	0.35	311	0.31	872	0.37
IDU	117	0.19	280	0.28	738	0.31
MSM/IDU	14	0.02	35	0.03	100	0.04
Heterosexual	90	0.14	132	0.13	221	0.09
Blood Prod.	1	0.00	11	0.01	40	0.02
Pediatric risk	11	0.02	9	0.01	20	0.01
Other/Unk	168	0.27	237	0.23	371	0.16
TOTAL	621	1.00	1,015	1.00	2,362	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Rochester

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Steuben, Wayne, Yates)

Table 16B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	49	0.60	82	0.70
Female	33	0.40	35	0.30
TOTAL	82	1.00	117	1.00
Age Group				
13-19	2	0.02	1	0.01
20-24	5	0.06	1	0.01
25-29	11	0.13	12	0.10
30-49	52	0.63	84	0.72
50+	12	0.15	19	0.16
TOTAL	82	1.00	117	1.00
Race/Ethnicity				
White	28	0.34	39	0.33
Black	41	0.50	59	0.50
Hispanic	12	0.15	17	0.15
Native Am	1	0.01	0	0.00
Multi Race	0	0.00	2	0.02
TOTAL	82	1.00	117	1.00
Risk				
MSM	22	0.27	27	0.23
IDU	19	0.23	28	0.24
MSM/IDU	1	0.01	5	0.04
Heterosexual	14	0.17	11	0.09
Other/Unk	26	0.32	46	0.39
TOTAL	82	1.00	117	1.00

* Excludes Prisoners

Cases reported and confirmed through December 2004

Ryan White Region: Syracuse

Page 47

(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV**		AIDS***			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	287	0.63	571	0.72	1,420	0.78
Female	170	0.37	227	0.28	395	0.22
Unk	0	0.00	0	0.00	0	0.00
TOTAL	457	1.00	798	1.00	1,815	1.00
Age Group						
<13	17	0.04	4	0.01	12	0.01
13-19	24	0.05	9	0.01	21	0.01
20-24	41	0.09	44	0.06	78	0.04
25-29	69	0.15	97	0.12	239	0.13
30-49	277	0.61	576	0.72	1,302	0.72
50+	27	0.06	68	0.09	163	0.09
Unk	2	0.00	0	0.00	0	0.00
TOTAL	457	1.00	798	1.00	1,815	1.00
Race/Ethnicity						
White	240	0.53	422	0.53	1,083	0.60
Black	152	0.33	286	0.36	559	0.31
Hispanic	51	0.11	79	0.10	160	0.09
Asian/PI	4	0.01	5	0.01	5	0.00
Native Am	3	0.01	3	0.00	4	0.00
Multi Race	3	0.01	2	0.00	3	0.00
Other/Unk	4	0.01	1	0.00	1	0.00
TOTAL	457	1.00	798	1.00	1,815	1.00
Risk						
MSM	149	0.33	294	0.37	754	0.42
IDU	84	0.18	162	0.20	434	0.24
MSM/IDU	12	0.03	31	0.04	97	0.05
Heterosexual	121	0.26	167	0.21	266	0.15
Blood Prod.	1	0.00	19	0.02	59	0.03
Pediatric risk	12	0.03	8	0.01	20	0.01
Other/Unk	78	0.17	117	0.15	185	0.10
TOTAL	457	1.00	798	1.00	1,815	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Syracuse

(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	32	0.62	63	0.72
Female	20	0.38	25	0.28
TOTAL	52	1.00	88	1.00
Age Group				
13-19	0	0.00	2	0.02
20-24	6	0.12	2	0.02
25-29	5	0.10	9	0.10
30-49	36	0.69	66	0.75
50+	5	0.10	9	0.10
TOTAL	52	1.00	88	1.00
Race/Ethnicity				
White	25	0.48	43	0.49
Black	23	0.44	36	0.41
Hispanic	3	0.06	7	0.08
Asian/PI	1	0.02	0	0.00
Multi Race	0	0.00	2	0.02
TOTAL	52	1.00	88	1.00
Risk				
MSM	16	0.31	31	0.35
IDU	9	0.17	10	0.11
MSM/IDU	1	0.02	3	0.03
Heterosexual	12	0.23	25	0.28
Blood Prod.	0	0.00	1	0.01
Other/Unk	14	0.27	18	0.20
TOTAL	52	1.00	88	1.00

* Excludes Prisoners

Cases reported and confirmed through December 2004

**New York City :
by Borough**

**Table 18
HIV/AIDS Cases
Diagnosed through December 2002**

Borough	Living HIV*	AIDS**	
		Living	Cumulative
Bronx	5,753	10,213	26,299
Brooklyn	5,971	12,529	33,737
Manhattan	8,501	15,357	44,929
Queens	2,974	7,261	17,714
Staten Island	497	916	2,625
TOTAL	23,696	46,276	125,304

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2002 - December 2002

Borough	Initial HIV	Initial AIDS
Bronx	838	949
Brooklyn	933	1,279
Manhattan	1,084	1,085
Queens	475	591
Staten Island	57	79
TOTAL	3,387	3,983

*Cases reported and confirmed through December 2004

Borough: Bronx

Table 19A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	2,970	0.52	6,436	0.63	17,482	0.66
Female	2,781	0.48	3,777	0.37	8,817	0.34
Unk	2	0.00	0	0.00	0	0.00
TOTAL	5,753	1.00	10,213	1.00	26,299	1.00
Age Group						
<13	538	0.09	219	0.02	584	0.02
13-19	141	0.02	108	0.01	149	0.01
20-24	439	0.08	326	0.03	695	0.03
25-29	642	0.11	932	0.09	2,503	0.10
30-49	3,374	0.59	7,352	0.72	18,860	0.72
50+	607	0.11	1,276	0.12	3,508	0.13
Unk	12	0.00	0	0.00	0	0.00
TOTAL	5,753	1.00	10,213	1.00	26,299	1.00
Race/Ethnicity						
White	295	0.05	595	0.06	1,786	0.07
Black	2,716	0.47	4,346	0.43	11,041	0.42
Hispanic	2,623	0.46	5,204	0.51	13,357	0.51
Asian/PI	18	0.00	32	0.00	74	0.00
Native Am	4	0.00	4	0.00	7	0.00
Multi Race	1	0.00	1	0.00	1	0.00
Other/Unk	96	0.02	31	0.00	33	0.00
TOTAL	5,753	1.00	10,213	1.00	26,299	1.00
Risk						
MSM	619	0.11	1,322	0.13	3,899	0.15
IDU	892	0.16	3,812	0.37	12,939	0.49
MSM/IDU	65	0.01	224	0.02	764	0.03
Heterosexual	923	0.16	1,855	0.18	3,739	0.14
Blood Prod.	22	0.00	61	0.01	153	0.01
Pediatric risk	473	0.08	248	0.02	613	0.02
Other/Unk	2,759	0.48	2,691	0.26	4,192	0.16
TOTAL	5,753	1.00	10,213	1.00	26,299	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Borough: Bronx

Table 19B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	436	0.52	573	0.60
Female	402	0.48	376	0.40
TOTAL	838	1.00	949	1.00
Age Group				
<13	4	0.00	2	0.00
13-19	23	0.03	13	0.01
20-24	84	0.10	29	0.03
25-29	91	0.11	53	0.06
30-49	536	0.64	649	0.68
50+	100	0.12	203	0.21
TOTAL	838	1.00	949	1.00
Race/Ethnicity				
White	40	0.05	54	0.06
Black	463	0.55	455	0.48
Hispanic	327	0.39	430	0.45
Asian/PI	4	0.00	6	0.01
Native Am	1	0.00	0	0.00
Other/Unk	3	0.00	4	0.00
TOTAL	838	1.00	949	1.00
Risk				
MSM	121	0.14	93	0.10
IDU	114	0.14	151	0.16
MSM/IDU	5	0.01	13	0.01
Heterosexual	155	0.18	166	0.17
Bld/hemop/trans	1	0.00	7	0.01
Pediatric risk	3	0.00	6	0.01
Other/Unk	439	0.52	513	0.54
TOTAL	838	1.00	949	1.00

* Cases reported and confirmed through December 2004

Borough: Brooklyn

Table 20A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

			AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	3,227	0.54	8,055	0.64	23,126	0.69
Female	2,561	0.43	4,474	0.36	10,611	0.31
Unk	183	0.03	0	0.00	0	0.00
TOTAL	5,971	1.00	12,529	1.00	33,737	1.00
Age Group						
<13	437	0.07	250	0.02	702	0.02
13-19	148	0.02	145	0.01	214	0.01
20-24	439	0.07	419	0.03	938	0.03
25-29	727	0.12	1,240	0.10	3,404	0.10
30-49	3,525	0.59	8,895	0.71	23,966	0.71
50+	694	0.12	1,580	0.13	4,513	0.13
Unk	1	0.00	0	0.00	0	0.00
TOTAL	5,971	1.00	12,529	1.00	33,737	1.00
Race/Ethnicity						
White	790	0.13	1,445	0.12	4,670	0.14
Black	3,521	0.59	7,661	0.61	20,103	0.60
Hispanic	1,310	0.22	3,279	0.26	8,740	0.26
Asian/PI	49	0.01	90	0.01	161	0.00
Native Am	4	0.00	6	0.00	9	0.00
Multi Race	1	0.00	1	0.00	1	0.00
Other/Unk	296	0.05	47	0.00	53	0.00
TOTAL	5,971	1.00	12,529	1.00	33,737	1.00
Risk						
MSM	1,066	0.18	2,096	0.17	6,282	0.19
IDU	707	0.12	3,743	0.30	14,320	0.42
MSM/IDU	58	0.01	209	0.02	740	0.02
Heterosexual	1,080	0.18	2,133	0.17	4,243	0.13
Blood Prod.	23	0.00	91	0.01	272	0.01
Pediatric risk	357	0.06	254	0.02	699	0.02
Other/Unk	2,680	0.45	4,003	0.32	7,181	0.21
TOTAL	5,971	1.00	12,529	1.00	33,737	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Borough: Brooklyn

Table 20B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	553	0.59	765	0.60
Female	380	0.41	514	0.40
TOTAL	933	1.00	1,279	1.00
Age Group				
<13	7	0.01	1	0.00
13-19	32	0.03	25	0.02
20-24	89	0.10	46	0.04
25-29	125	0.13	89	0.07
30-49	534	0.57	843	0.66
50+	146	0.16	275	0.22
TOTAL	933	1.00	1,279	1.00
Race/Ethnicity				
White	112	0.12	112	0.09
Black	636	0.68	888	0.69
Hispanic	172	0.18	258	0.20
Asian/PI	5	0.01	12	0.01
Native Am	0	0.00	1	0.00
Multi Race	1	0.00	0	0.00
Other/Unk	7	0.01	8	0.01
TOTAL	933	1.00	1,279	1.00
Risk				
MSM	189	0.20	181	0.14
IDU	88	0.09	170	0.13
MSM/IDU	8	0.01	18	0.01
Heterosexual	157	0.17	240	0.19
Bld/hemop/tran	3	0.00	6	0.00
Pediatric risk	6	0.01	6	0.00
Other/Unk	482	0.52	658	0.51
TOTAL	933	1.00	1,279	1.00

* Cases reported and confirmed through December 2004

Borough: Manhattan

Table 21A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	6,571	0.77	12,323	0.80	37,301	0.83
Female	1,896	0.22	3,034	0.20	7,628	0.17
Unk	34	0.00	0	0.00	0	0.00
TOTAL	8,501	1.00	15,357	1.00	44,929	1.00
Age Group						
<13	330	0.04	140	0.01	400	0.01
13-19	115	0.01	68	0.00	104	0.00
20-24	457	0.05	332	0.02	776	0.02
25-29	973	0.11	1,474	0.10	4,018	0.09
30-49	5,605	0.66	11,246	0.73	32,629	0.73
50+	1,018	0.12	2,097	0.14	7,002	0.16
Unk	3	0.00	0	0.00	0	0.00
TOTAL	8,501	1.00	15,357	1.00	44,929	1.00
Race/Ethnicity						
White	3,207	0.38	5,351	0.35	16,961	0.38
Black	2,692	0.32	5,531	0.36	15,766	0.35
Hispanic	2,073	0.24	4,186	0.27	11,662	0.26
Asian/PI	120	0.01	175	0.01	402	0.01
Native Am	9	0.00	5	0.00	16	0.00
Multi Race	2	0.00	5	0.00	5	0.00
Other/Unk	398	0.05	104	0.01	117	0.00
TOTAL	8,501	1.00	15,357	1.00	44,929	1.00
Risk						
MSM	3,576	0.42	6,433	0.42	20,855	0.46
IDU	696	0.08	3,957	0.26	14,458	0.32
MSM/IDU	99	0.01	334	0.02	1,415	0.03
Heterosexual	853	0.10	1,333	0.09	2,743	0.06
Blood Prod.	26	0.00	51	0.00	198	0.00
Pediatric risk	276	0.03	151	0.01	406	0.01
Other/Unk	2,975	0.35	3,098	0.20	4,854	0.11
TOTAL	8,501	1.00	15,357	1.00	44,929	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Borough: Manhattan

Table 21B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	816	0.75	804	0.74
Female	268	0.25	281	0.26
TOTAL	1,084	1.00	1,085	1.00
Age Group				
<13	8	0.01	3	0.00
13-19	19	0.02	7	0.01
20-24	71	0.07	23	0.02
25-29	112	0.10	76	0.07
30-49	718	0.66	740	0.68
50+	156	0.14	236	0.22
TOTAL	1,084	1.00	1,085	1.00
Race/Ethnicity				
White	309	0.29	304	0.28
Black	474	0.44	476	0.44
Hispanic	274	0.25	284	0.26
Asian/PI	21	0.02	11	0.01
Native Am	3	0.00	1	0.00
Multi Race	1	0.00	0	0.00
Other/Unk	2	0.00	9	0.01
TOTAL	1,084	1.00	1,085	1.00
Risk				
MSM	425	0.39	376	0.35
IDU	92	0.08	150	0.14
MSM/IDU	15	0.01	18	0.02
Heterosexual	114	0.11	158	0.15
Blood Prod.	2	0.00	4	0.00
Pediatric risk	5	0.00	6	0.01
Other/Unk	431	0.40	373	0.34
TOTAL	1,084	1.00	1,085	1.00

* Cases reported and confirmed through December 2004

Borough: Queens

Table 22A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	1,905	0.64	5,171	0.71	13,328	0.75
Female	1,068	0.36	2,090	0.29	4,386	0.25
Unk	1	0.00	0	0.00	0	0.00
TOTAL	2,974	1.00	7,261	1.00	17,714	1.00
Age Group						
<13	161	0.05	101	0.01	277	0.02
13-19	63	0.02	65	0.01	89	0.01
20-24	207	0.07	243	0.03	469	0.03
25-29	382	0.13	800	0.11	1,773	0.10
30-49	1,881	0.63	5,235	0.72	12,957	0.73
50+	277	0.09	817	0.11	2,149	0.12
Unk	3	0.00	0	0.00	0	0.00
TOTAL	2,974	1.00	7,261	1.00	17,714	1.00
Race/Ethnicity						
White	634	0.21	1,454	0.20	4,442	0.25
Black	1,281	0.43	3,088	0.43	7,658	0.43
Hispanic	913	0.31	2,505	0.34	5,251	0.30
Asian/PI	66	0.02	171	0.02	308	0.02
Native Am	3	0.00	9	0.00	14	0.00
Multi Race	3	0.00	1	0.00	1	0.00
Other/Unk	74	0.02	33	0.00	40	0.00
TOTAL	2,974	1.00	7,261	1.00	17,714	1.00
Risk						
MSM	840	0.28	1,897	0.26	4,906	0.28
IDU	312	0.10	2,032	0.28	6,700	0.38
MSM/IDU	28	0.01	108	0.01	429	0.02
Heterosexual	612	0.21	1,175	0.16	2,042	0.12
Blood Prod.	15	0.01	53	0.01	176	0.01
Pediatric risk	132	0.04	121	0.02	291	0.02
Other/Unk	1,035	0.35	1,875	0.26	3,170	0.18
TOTAL	2,974	1.00	7,261	1.00	17,714	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Borough: Queens

Table 22B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2002 - December 2002

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	322	0.68	418	0.71
Female	153	0.32	173	0.29
TOTAL	475	1.00	591	1.00
Age Group				
<13	2	0.00	0	0.00
13-19	20	0.04	11	0.02
20-24	40	0.08	19	0.03
25-29	68	0.14	48	0.08
30-49	300	0.63	384	0.65
50+	45	0.09	129	0.22
TOTAL	475	1.00	591	1.00
Race/Ethnicity				
White	77	0.16	97	0.16
Black	209	0.44	289	0.49
Hispanic	165	0.35	174	0.29
Asian/PI	20	0.04	26	0.04
Native Am	1	0.00	2	0.00
Other/Unk	3	0.01	3	0.01
TOTAL	475	1.00	591	1.00
Risk				
MSM	156	0.33	151	0.26
IDU	28	0.06	77	0.13
MSM/IDU	3	0.01	4	0.01
Heterosexual	115	0.24	121	0.20
Bld/hemop/trans	1	0.00	2	0.00
Pediatric risk	1	0.00	6	0.01
Other/Unk	171	0.36	230	0.39
TOTAL	475	1.00	591	1.00

*Cases reported and confirmed through December 2004

Borough: Staten Island

Table 23A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2002

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	282	0.57	604	0.66	1,893	0.72
Female	214	0.43	312	0.34	732	0.28
Unk	1	0.00	0	0.00	0	0.00
TOTAL	497	1.00	916	1.00	2,625	1.00
Age Group						
<13	30	0.06	15	0.02	42	0.02
13-19	6	0.01	10	0.01	14	0.01
20-24	28	0.06	25	0.03	63	0.02
25-29	45	0.09	76	0.08	207	0.08
30-49	338	0.68	695	0.76	1,999	0.76
50+	50	0.10	95	0.10	300	0.11
TOTAL	497	1.00	916	1.00	2,625	1.00
Race/Ethnicity						
White	157	0.32	358	0.39	1,222	0.47
Black	199	0.40	347	0.38	871	0.33
Hispanic	119	0.24	203	0.22	514	0.20
Asian/PI	7	0.01	2	0.00	9	0.00
Native Am	0	0.00	1	0.00	2	0.00
Multi Race	0	0.00	1	0.00	1	0.00
Other/Unk	15	0.03	4	0.00	6	0.00
TOTAL	497	1.00	916	1.00	2,625	1.00
Risk						
MSM	73	0.15	132	0.14	489	0.19
IDU	69	0.14	336	0.37	1,282	0.49
MSM/IDU	5	0.01	13	0.01	56	0.02
Heterosexual	70	0.14	157	0.17	307	0.12
Blood Prod.	3	0.01	10	0.01	44	0.02
Pediatric risk	16	0.03	16	0.02	44	0.02
Other/Unk	261	0.53	252	0.28	403	0.15
TOTAL	497	1.00	916	1.00	2,625	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Borough: Staten Island				
Table 23B Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk Diagnosed January 2002 -December 2002				
	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	33	0.58	50	0.63
Female	24	0.42	29	0.37
TOTAL	57	1.00	79	1.00
Age Group				
<13	1	0.02	0	0.00
13-19	1	0.02	2	0.03
20-24	3	0.05	1	0.01
25-29	4	0.07	4	0.05
30-49	39	0.68	61	0.77
50+	9	0.16	11	0.14
TOTAL	57	1.00	79	1.00
Race/Ethnicity				
White	20	0.35	26	0.33
Black	27	0.47	34	0.43
Hispanic	10	0.18	18	0.23
Multi Race	0	0.00	1	0.01
TOTAL	57	1.00	79	1.00
Risk				
MSM	11	0.19	9	0.11
IDU	11	0.19	17	0.22
MSM/IDU	2	0.04	2	0.03
Heterosexual	8	0.14	15	0.19
Bld/hemop/trans	1	0.02	0	0.00
Other/Unk	24	0.42	36	0.46
TOTAL	57	1.00	79	1.00

* Cases reported and confirmed through December 2004